## Resource Manager (RM)

## **Release Notes**

Applies to Product Release: 02.00.00.00: Publication Date: February 7, 2013

#### Document License

This work is licensed under the Creative Commons Attribution-NoDerivs 3.0 Unported License. To view a copy of this license, visit http://creativecommons.org/licenses/by-nd/3.0/ or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.

Contributors to this document

Copyright (C) 2012-2013 Texas Instruments Incorporated - http://www.ti.com/



Texas Instruments, Incorporated 20450 Century Boulevard Germantown, MD 20874 USA

## **Contents**

Overview	1
Dependencies	1
New/Updated Features and Quality	1
Resolved Incident Reports (IR)	
Known Issues/Limitations	2
Licensing	2
Delivery Package	
Installation Instructions	2
Directory structure	2
Customer Documentation List	3

# RM version 02.00.00.00

#### Overview

This document provides the release information for the latest Resource Manager (RM) which can be used by applications that want to manage device resources.

#### RM includes:

- Pre-compiled library for DSP (Big and Little) Endian of RM.
- Source code.
- API reference guide

## **Dependencies**

RM is dependent on following external components delivered in PDK package:

- None

## **New/Updated Features and Quality**

This is an **engineering release**, tested by the development team.

#### **Release 2.0.0.0**

Initial release

## **Resolved Incident Reports (IR)**

Table 1 provides information on IR resolutions incorporated into this release.

#### Table 1 Resolved IRs for this Release

IR Parent/ Child Number	Severity Level	IR Description	

### **Known Issues/Limitations**

IR Parent/ Child Number	Severity Level	IR Description

### Licensing

Please refer to the SDK licensing document for the details.

## **Delivery Package**


There is no separate delivery package. RM is being delivered as part of PDK.

#### **Installation Instructions**

RM is currently bundled as part of Platform Development Kit (PDK). Refer installation instruction to the release notes provided for PDK.

### **Directory structure**

The following is the directory structure after the RM package has been installed:



The following table explains each individual directory:

<b>Directory Name</b>	Description
ti/drv/rm	The top level directory contains the following:-
	1. Environment configuration batch file
	The file "setupenv.bat" is used to configure the build
	environment for RM.
	2. XDC Build and Package files
	These files (config.bld, package.xdc etc) are the XDC

	<ul> <li>build files which are used to create the RM package.</li> <li>3. Exported Driver header files Header files which are provided by RM and should be used by the application developers for customization and usage.</li> </ul>
ti/drv/rm/build	The directory contains internal XDC build related files which are used to create the RM package.
ti/drv/rm/device	The directory contains the device specific files for the CPPI low level driver.
ti/drv/rm/docs	The directory contains the RM documentation.
ti/drv/rm/include	The "include" directory has private RM header files. These files should not be used by application developers.
ti/drv/rm/lib	The "lib" folder has pre-built Big and Little Endian libraries for RM along with their <i>code/data size information</i> .
ti/drv/rm/package	Internal RM package files.
ti/drv/rm/src	Source code for the RM.
ti/drv/rm/test	The "test" directory in RM has unit test cases which are used by the development team to test RM.
ti/drv/rm/util	The "util" directory has BSD-licensed, open source components used by RM.

### **Customer Documentation List**

Table 2 lists the documents that are accessible through the /docs folder on the product installation CD or in the delivery package.

Table 2 Product Documentation included with this Release

Document #	Document Title	File Name
1	API documentation (generated by Doxygen)	docs/rmDocs.chm